

L Number	Hits	Search Text	DB	Time stamp
1	140	((writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:05
4	23	((writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 10:59
5	4	((writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and directory adj service	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 10:35
6	1	((writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and directory ) and consistency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:00
8	173	(access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:11
10	28	((access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and (integrity or consistency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:13
11	6	((access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and (integrity or consistency)) and directory adj (service or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:04
12	2290	((@AD<20000816) and directory adj (service or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:05
13	565	((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:49
14	111	((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and LDAP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:45
16	0	((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and LDAP) and active same valid\$5 ) and active same valid\$5 with (duration or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:09
15	7	((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and LDAP) and active same valid\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:13
17	0	((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and active same valid\$5 with (duration or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:09

18	1	((@AD<20000816) and directory adj (service or server)) and active same valid\$5 with (duration or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:10
20	179	(modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:00
22	1	((modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and (integrity or consistency)) and active same valid\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:01
23	6	(((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and ((modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:16
21	31	((modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and (integrity or consistency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:31
26	114	((@AD<20000816) and directory adj (service or server)) and concurrency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:52
27	43	(((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and LDAP) and (((@AD<20000816) and directory adj (service or server)) and concurrency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:49
28	72	((@AD<20000816) and directory adj (service or server)) and versioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:51
30	29	(((((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and LDAP) and (((@AD<20000816) and directory adj (service or server)) and concurrency)) and (((@AD<20000816) and directory adj (service or server)) and versioning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:50
31	0	((@AD<20000816) and directory adj (service or server)) and temporal adj versioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:51
32	1	(707/\$3).ccls. and temporal adj versioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:51
33	94	(707/8 or 707/200 or 707/203).ccls. and ((@AD<20000816) and directory adj (service or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:53
34	5	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and (quality adj service or QOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:54

35	45	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and (modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (directory) near5 (policy or information or parameter or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:21
36	1	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and (modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (directory) near5 (policy or information or parameter or data) ) and active same valid\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:01
37	45	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and (modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (directory or repository) near5 (policy or information or parameter or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:21
38	33	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and (modify\$3 or updat\$3 or access\$3 or writ\$3 or stor\$3 or receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (directory or repository) near5 (policy or information or parameter or data) ) and (integrity or consistency or concurren\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:31
41	0	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and check\$3 adj5 (valid\$5 or active or availab\$5 or version) near5 (period or duration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:13
40	21	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and check\$3 adj5 (valid\$5 or active or availab\$5 or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:05
42	0	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and check\$3 adj5 (expired or expiration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:13
43	16	((@AD<20000816) and directory adj (service or server)) and check\$3 adj5 (expired or expiration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:43
44	3	((@AD<20000816) and directory adj (service or server)) and check\$3 adj5 (valid\$5 or active or availab\$5) near5 (period or duration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:44
45	0	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and (((@AD<20000816) and directory adj (service or server)) and check\$3 adj5 (expired or expiration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:43
46	0	((707/8 or 707/200 or 707/203).ccls. and (((@AD<20000816) and directory adj (service or server))) and check\$3 adj5 (valid\$5 or active or availab\$5) near5 (period or duration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:44
47	2	((((@AD<20000816) and directory adj (service or server)) and (integrity or consistency)) and LDAP) and (time adj2 live)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:56

48	1	((707/8 or 707/200 or 707/203).ccls. and (@AD<20000816) and directory adj (service or server))) and (time adj2 live)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 14:56
-	2	("6463470").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 15:54
-	13	((("5970064") or ("6104700") or ("6169748") or ("6301613") or ("6327618") or ("6286052") or ("6430154") or ("6021439") or ("6028842") or ("6118760") or ("6154776") or ("6301253") or ("6363429")).PN.	USPAT	2003/10/14 15:38
-	5	("5970064"   "6104700"   "6169748"   "6301613"   "6327618").PN.	USPAT	2003/10/14 15:41
-	1	(retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup) adj5 (quality adj service adj3 policy) near5 (information or parameter or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 15:59
-	109	(retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (information or parameter or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:15
-	5	((retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (information or parameter or data)) and (@AD<20000816)) and (retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (information or parameter or data)).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:04
-	41	((retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (information or parameter or data)) and (@AD<20000816)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:13
-	41	(retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:20
-	0	((retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and (retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) same directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:17
-	12	((retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)) and directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:17
-	98	(receiv\$3 or retriev\$3 or extract\$3 or obtain\$3 or looking adj up or look adj up or lookup or check\$3 or read\$3) adj5 (quality adj service) near5 (policy or information or parameter or data) and (@AD<20000816)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 10:33